

Technical datasheet

DILIM - DILIM



Product code: 50090 Thinners

DESCRIPTION

Cleaning thinner. Primarily formulated based on a mixture of aliphatic and aromatic hydrocarbons.

USE

Cleaning of tools used in the application of synthetic enamels, pliolite, and chlorinated rubber.

Do not use with nitrocellulose, epoxy, or polyurethane products.

PROPERTIES

- High cleaning power
- Excellent wettability
- Strong degreasing capability
- Low surface tension
- Rapid evaporation
- High penetration power

Colour: Clear

Density: $0,87 \pm 0,05$ g/cc S/FR1001/D

Flashpoint: Flammable (36 °C)

50090 CLEAR

Format: 5 / 20 / 200 L

SURFACE PREPARATION

Proceed as directed in the paint specifications where this product is recommended.

APPLICATION TIPS

THINNER: Add the recommended amount as indicated in the technical data sheet of the product to be thinned. Stir the mixture slowly until fully homogenized.

CLEANING: Clean tools immediately after use to prevent the paint from drying. Thoroughly remove any paint residue, then wash the tools with soapy water. Allow the tools to dry completely.

SAFETY AND ENVIRONMENT

The product must be handled in a well-ventilated area and with appropriate protective measures. Avoid sources of ignition. Do not inhale the vapors. Avoid contact with skin and eyes by using gloves and protective goggles. In case of splashes, rinse thoroughly with plenty of water. For more information, refer to the Safety Data Sheet.

Store leftover material in a ventilated, dry place. Seal containers carefully and keep them upright to prevent spills. Protect containers from freezing, high temperatures, and direct sunlight exposure.

Do not eat, drink, or smoke during the preparation and application of the product. Keep out of reach of children.

Do not dispose of the product in drains or the environment. Dispose of it at an authorized waste collection point.

Consult your local council for guidance on proper recycling of the container, waste, and leftover product in accordance with the law and environmental protection principles.

The information contained in this technical data sheet may change and must be updated. Visit [www.juno.es](http://www.juno.es) or contact your nearest JUNO representative to obtain the most recent technical data sheet. Application advice, whether verbal, written, or through tests, is based on JUNO's experience and technical knowledge. The data shown in this document should be considered as recommendations and do not imply any commitment, including with respect to potential third-party industrial property rights. The application, use, and processing of JUNO-supplied products are carried out by third parties. Consequently, the final result is the sole responsibility of the customer, applicator, or handler of the products, and not of the supplying company. This document does not exempt the customer from conducting their own examination of the supplied products to verify their suitability for the intended processes and purposes. In cases where JUNO assumes responsibility, it will be strictly limited to the value of the supplied goods used by the customer, regardless of any damages or losses incurred. JUNO guarantees the quality of all its products in accordance with the current General Terms of Sale.